

Elektrotehnički fakultet Univerziteta u Sarajevu

Odsjek Autimatika i elektronika

Predmet: Biomedicinski signali i sistemi

Popravni ispit održan 20.07.2020.

Vanr.prof.dr.Dušanka Bošković

Broj indeksa	Ispit dio 1													Ispit dio 2													Suma							
	Tačno/Netačno												Pov.	Razl.	AP	ERP	EEG	PanT	Eithov	Eithov														
	T1	T2	T3	T4	T5	T6	T7	T8	T9	T10	T11	T12	T13	T14	T15	T16	T17	T18	T19	T20	Z1	Z2	Z3	Z4	Z5	Z6		Z7						
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1	4	3	3	2	2	1	3	2	3	4	1	3	1	40						
1587/17300	0.5	0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1.00	3.00	3.00	1.00	1.25	2.00	0.00	3.00	0.00	3.00	4.00	1.00	3.00	1.00	32.75						
1624/17998	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0	0.5	0.5	0.5	1	0.50	4.00	2.25	2.50	2.00	1.50	1.00	2.50	2.00	0.00	4.00	1.00	3.00	0.00	32.75						
1690/18003	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	0.50	1.50	2.25	3.00	2.00	2.00	1.00	2.30	2.00	1.00	3.00	1.00	3.00	0.00	31.55						
1629/17837	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1.00	1.50	3.00	1.00	2.00	2.00	1.00	2.30	2.00	0.00	4.00	1.00	3.00	0.00	30.8						
1670/17916	0	0.5	0.5	0.5	0.5	0.5	0	0.5	0.5	0.5	0.5	0.5	1	0.50	4.00	0.00	3.00	2.00	0.90	1.00	2.00	2.00	1.00	4.00	1.00	2.10	1.00	30.5						
1717/17831	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1.00	1.00	3.00	1.50	0.50	2.00	1.00	2.00	2.00	0.00	4.00	1.00	3.00	1.00	30						
1711/17989	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	0.50	1.50	1.20	2.00	2.00	1.00	0.00	2.30	2.00	0.00	4.00	1.00	3.00	1.00	28.5						
1673/17732	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.8	1.00	1.50	3.00	1.50	0.50	2.00	1.00	2.00	2.00	0.00	3.00	0.00	3.00	1.00	28.3						
1669/16959	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1.00	4.00	2.70	0.50	2.00	1.50	0.00	1.00	0.00	1.00	2.00	1.00	3.00	1.00	27.7						
1646/16893	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1.00	2.50	1.00	2.00	0.50	1.50	1.00	2.00	2.00	0.00	1.00	1.00	3.00	1.00	26.5						
1679/17549	0.5	0	0.5	0.5	0.5	0	0.5	0.5	0	0.5	0.5	0.5	0.8	1.00	3.00	2.70	0.00	1.50	2.00	0.00	2.00	0.00	0.00	2.50	1.00	3.00	1.00	25						
1664/17359	0.5	0.5	0.5	0	0.5	0	0.5	0.5	0.5	0.5	0.5	0.5	1	0.50	3.00	2.70	0.50	0.00	0.00	0.00	3.00	0.00	1.00	4.00	1.00	3.00	0.00	24.7						
1656/16990	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	0.50	2.50	3.00	1.00	0.50	0.40	0.00	2.00	1.00	0.00	2.00	1.00	3.00	0.00	23.9						
1495/17159	0	0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0	0.5	1	0.00	1.00	1.20	0.50	0.50	1.20	1.00	2.60	0.00	0.00	4.00	1.00	3.00	1.00	22.5						
1700/17460	0.5	0.5	0.5	0.5	0.5	0	0.5	0.5	0.5	0.5	0.5	0.5	1	1.00	0.50	1.20	0.50	0.00	2.00	1.00	1.80	2.00	0.00	2.00	1.00	2.60	0.00	22.1						
1619/2019	0	0.5	0	0.5	0.5	0.5	0	0.5	0.5	0.5	0	0	0	0.50	0.80	0.00	0.50	0.25	1.00	0.00	3.00	0.00	1.00	1.00	1.00	2.00	0.00	14.55						